特許協力条約

PCT


国際予備審查報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

<u></u>	04
WIPO	PCT


						
出願人又は代理人 の書類記号 NE297-PCT	今後の手続きについては、国際予備審査 I PEA/4	報告の送付通知(様式PCT/ 16)を参照すること。				
国際出願番号 PCT/JP03/04973	国際出願日 (日.月.年) 18.04.2003	優先日 (日.月.年) 24.06.2002				
国際特許分類 (IPC) Int. C1.	' H01L 33/00 H01S	5/02				
出願人 (氏名又は名称) 日本電気株式会社	·					
1. 国際予備審査機関が作成したこの国	際予備審査報告を法施行規則第57条(P(CT36条)の規定に従い送付する。				
2. この国际「湘街主報音は、この数形	そのでは、 4 ページ	どからなる。				
X この国際予備審査報告には、所 査機関に対してした訂正を含む (PCT規則70.16及びPCT この附属書類は、全部で3	属書類、つまり補正されて、この報告の表明	も礎とされた及び/又はこの国際予備審 すされている。				
3. この国際予備審査報告は、次の内容	を含む。					
I × 国際予備審査報告の基礎						
Ⅱ □ 優先権						
III X 新規性、進歩性又は産業	上の利用可能性についての国際予備審査報	告の不作成				
IV 開の単一性の欠如						
V X PCT35条(2)に規定す の文献及び説明	る新規性、進歩性又は産業上の利用可能性	・ についての見解、それを裏付けるため				
VI ある種の引用文献	w.*					
VII 国際出願の不備	* .					
VII 国際出願に対する意見						
,						

国際予備審査の請求事を受理した日 18.04.2003	国際予備審査報告を作成した日・10.02.2004		
名称及びあて先 日本国特許庁 (IPEA/JP)	特許庁審査官(権限のある職員)	2 K	9814
郵便番号100-8915 東京都千代田区霞が関三丁目4番3号	道祖土 新吾	_	
	電話番号 03-3581-1101 内	線 3	253




国際出願番号 PCT/JP03/04973

I.	国際予備審査	報告の基	礎					
1.	この国際予備3 応答するため PCT規則70.	ご促出さ	れた差し替え	き類に基づいて 用紙は、この報	作成された。 告書におい	(法第6条(て「出願時」と	PCT14条 し、本報告書)の規定に基づく命令k には添付しない。
	出願時の国際	禁出願書	類					
X	明細書 明細書 明細書	第 第 第	1-15	ペーシ ペーシ ペーシ	ブ、 国際	頭時に提出され 祭予備審査の請 	求魯と共に提	出されたもの 簡と共に提出されたもの
X	請求の範囲 請求の範囲 請求の範囲 請求の範囲		3, 4, 7–11 1, 5, 6, 12		P	質時に提出され。 CT 1 9条の規 禁予備審査の請。	定に基づき補〕 求ひと共に提り	正されたもの 出されたもの 笛と共に提出されたもの
X	図面 図面 図面	第 第 第	1-9	ページ ページ	/図、国際	質時に提出された 条予備審査の請え 	求書と共に提出	出されたもの 簡と共に提出されたもの
2.	明細書の配列 明細書の配列 明細書の配列	別表の部分	第	ページ ページ ページ		質時に提出された 条予備審査の請求	求書と共に提出 付の書稿	出されたもの 商と共に提出されたもの
	上記の書類は、 国際調査の PCT規	下記のi のために i)48.3(b	言語である 提出された P)にいう国際公		語である。)にいう翻訳	マ文の官語		
3.				たPCT規則55 アミノ酸配列を含				- 指審査報告を行った。
!	□ この国際品 □ この国際品 □ 出願後に、 □ 出願後に、 □ 出願後にも ■ 出願後にも ■ 書の提出は	出願に会共に合い。この国によい。この目にいる。	まれる書面に に提出されたA 際予備審査(際予備審査(よる配列表 磁気ディスクに または調査)機 または調査)機 列表が出願時に	よる配列表 関に提出され 関に提出され おける国際は	れた書面による れた磁気ディス 出顔の開示の範	配列表 クによる配列: 囲を超える事	
4. † X 	請求の範囲	記の書類 第 第 図面の第	2	。 ページ 項	、 ページ/図			
5. 🔲	れるので、そ	の佣止か	されなかった	示したように、 ものとして作成 ければならず、	こした。(P(こT規則70.2(c)	の範囲を越え この補正を	てされたものと認めら 含む差し替え用紙は上



国際出願番号 PCT/JP03/04973

Ⅲ. 新規性、進歩性又は産業上の利用可能性についての国際予備審査報告の不作成	_
1. 次に関して、当該請求の範囲に記載されている発明の新規性、進歩性又は産業上の利用可能性につき、次の理由によ 審査しない。	ŋ
国際出願全体	
X	
·	
理由:	
この国際出願又は請求の範囲 は、国際予備審査をすることを要しない 次の事項を内容としている(具体的に記載すること)。	
·	
明細書、請求の範囲若しくは図面(次に示す部分)又は請求の範囲 記載が、不明確であるため、見解を示すことができない(具体的に記載すること)。	の
•	
	ļ
全部の請求の範囲又は請求の範囲 裏付けを欠くため、見解を示すことができない。	2
X 請求の範囲 4,6-12 E について、国際調査報告が作成されていない。	
2. ヌクレオチド又はアミノ酸の配列表が実施細則の附属書C(塩基配列又はアミノ酸配列を含む明細書等の作成のためのガイドライン)に定める基準を満たしていないので、有効な国際予備審査をすることができない。	>
■ 書面による配列表が提出されていない又は所定の基準を満たしていない。	
□ 磁気ディスクによる配列表が提出されていない又は所定の基準を満たしていない。	



国際出願番号 PCT/JP03/04973

v.	新規性、 文献及び	進歩性又は産業上の利用 が説明	可能性についての法第12条	(РСТЗ5条(2))	に定める見解、	それを裏付ける
1.	見解		_			
	新規性(1	1)	請求の範囲 _ 請求の範囲 _	1, 3, 5		
	進歩性(I	s)	請求の範囲 _ 請求の範囲 _	1, 3, 5		有 無
	産業上の利	J用可能性(I A)	請求の範囲 _ 請求の範囲 _	1, 3, 5		有 無
2.	文献及び	*説明(PCT規則70.7) 囲 1-3,5				
ズ	文献1 :	JP 63-170141 U(沖 全文、全図(ファミ	電気工業株式会社)19	88. 11. 07		

文献 2: 丁2-196476 A(株式会社リュー) 1990.08.03

全文、全図(ファミリーなし) 文献3:JP 7-178961 A(京セラ株式会社)1995.07.18

全文,全図(ファミリーなし)

文献4: JP 6-310759 A(京セラ株式会社)1994.11.04

全文,全図(ファミリーなし)

文献1には、光信号と電気信号とを相互に変換する発光素子と、前記発光素子を駆動制御する入出力用ICと、電気配線を有し光透過性を備えた透明基材とを含み、 前記発光素子と前記入出力用ICとは、前記透明基材にフリップチップ実装されて おり、前記発光素子と外部との間での光の入出力は、前記透明基材の光透過性により おこなわれることが記載されている。

また、文献1では、配線を有しているから、該配線は、電磁シールドとして働くも のと認められる。

また、文献1の透明基材は、光透過性であるから、前記発光素子の波長に対して透過性の高い材料から形成されているものと認められる。 文献2にも、上記と同様の点が記載されているものと認められる。

また、シールド用の配線を設けることは、例えば文献3に示され、文献4にも示唆 されるとおり、当業者には良く知られた技術であると認められる。

請 求 の 範 囲

1. (補正後) 光信号と電気信号とを相互に変換する光素子と、

前記光素子を駆動制御する入出力用ICと、

5 電気配線を有し光透過性を備えた透明基材と、

を含み、

前記光素子と前記入出力用ICとは、前記透明基材にフリップチップ 実装されており、

前記光素子と外部との間での光の入出力は、前記透明基材の光透過性 10 により行われるものであり、

前記電気配線は、前記光素子と前記入出力用ICとを電気的に接続し、電気信号を遣り取りするものであり、かつ、前記光素子取付け面とは反対の面に位置する前記電気配線は接地電極として設けられて、前記光素子及び入出力用ICに対する電磁シールドとして作用するものであることを特徴とする光電気複合モジュール。

2. (削除)

15

3. 前記光素子は、電気信号を光信号に変換して出力する発光素子とし、 て構成され、

前記入出力用ICは、前記光素子に電気信号を出力するドライバIC 20 として構成されたものであることを特徴とする請求の範囲第1項に記載 の光電気複合モジュール。

4. 前記光素子は、光信号を電気信号に変換する受光素子として構成され、

前記入出力用ICは、前記受光素子からの電気信号を増幅する電気増 25 幅ICとして構成されたものであることを特徴とする請求の範囲第1項 に記載の光電気複合モジュール。

5

10

15

5.(補正後) 前記透明基材は、光を透過する透明プレートで形成され、 当該透明プレートは、前記光素子の波長に対して透過性の高い素材か ら構成されたものであることを特徴とする請求の範囲第1項に記載の光 電気複合モジュール。

6. (補正後) 前記透明基材は、光を透過するフレキシブルシートで形成され、

当該フレキシブルシートは、前記光素子の波長に対して透過性の高い素材から構成されたものであることを特徴とする請求の範囲第1項に記載の光電気複合モジュール。

- 7. 前記透明基材は、前記光素子に対面する箇所に光結合効率を向上する光結合手段を備えていることを特徴とする請求の範囲第1項に記載の光電気複合モジュール。
- 8. 前記光結合手段は、前記透明基材に一体に形成されていることを特徴とする請求の範囲第7項に記載の光電気複合モジュール。
 - 9. 前記透明基材は、前記光結合手段に対する光軸の向きを変換する光軸変換器を有することを特徴とする請求の範囲第7項に記載の光電気複合モジュール。
- 10. 前記光素子及び前記入出力用ICは、ヒートスプレッダを兼ねた 20 保持部材であるインタポーザを備えていることを特徴とする請求の範囲 1に記載の光電気複合モジュール。
 - 11. 前記透明基材は、電気配線の内装されている保持枠に固定されていることを特徴とする請求の範囲1に記載の光電気複合モジュール。
- 1 2. (補正後) 光電気複合モジュールと、ロジックLSIとを有し、 が記光電気複合モジュールは、光信号と電気信号とを相互に変換する

光素子と、前記光素子を駆動制御する入出力用ICと、電気配線を有し 光透過性を備えた透明基材とを含み、前記光素子と前記入出力用ICと が、前記透明基材にフリップチップ実装され、前記光素子と外部との間 での光の入出力が、前記透明基材の光透過性により行われる構成になっ ており、

前記ロジックLSIは、前記光電気複合モジュールに入出力される電気信号を制御するものであり、

5

前記光電気複合モジュールと前記ロジックLSIとは、同一の基板上に実装されていることを特徴とする光入出力装置。





PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference NE297-PCT		otification of Transmittal of International nary Examination Report (Form PCT/IPEA/416)		
International application No.	International filing date (day/month/yea			
PCT/JP2003/004973	18 April 2003 (18.04.2003)	24 June 2002 (24.06.2002)		
International Patent Classification (IPC) or n H01L 33/00, H01S 5/02	ational classification and IPC			
·				
Applicant	NEC CORPORATION			
This international preliminary exam and is transmitted to the applicant acts.		nternational Preliminary Examining Authority		
2. This REPORT consists of a total of	5 sheets, including this co	ver sheet.		
amended and are the basis fo		cription, claims and/or drawings which have been tifications made before this Authority (see Rule T).		
These annexes consist of a to	stal of sheets.			
3. This report contains indications rela	ting to the following items:			
I Basis of the report				
· II Priority				
III Non-establishment	of opinion with regard to novelty, invent	ve step and industrial applicability		
IV Lack of unity of inv	ention			
V Reasoned statement bitations and explan	under Article 35(2) with regard to nove ations supporting such statement	ty, inventive step or industrial applicability;		
VI Certain documents	cited			
VII Certain defects in the	e international application			
VIII Certain observation	s on the international application			
·				
Date of submission of the demand	Number 1	Line of Alria manual		
		tion of this report		
18 April 2003 (18.04.:	2003)	0 February 2004 (10.02.2004)		
Name and mailing address of the IPEA/JP	Authorized off	cer		
Facsimile No.	Telephone No.			

Translation

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/JP2003/004973

	I. Basis of the report				
1.	With		the elements of the international application:*		
ļ		the inter	ernational application as originally filed	ļ	
ļ	\boxtimes	the desci	cription:	ł	
		pages _		led	
		pages	, filed with the dema		
		pages	, filed with the letter of	!	
į	\boxtimes	the clain		-	
		pages _		led	
		pages _	1, 5, 6, 12 , as amended (together with any statement under Article		
	•	pages _	, filed with the dema	and	
		pages _	, filed with the letter of		
1	\boxtimes	the draw	wings:	I	
	_	pages _		iled	
		pages _	, filed with the dema	and	
		pages	, filed with the letter of		
!	☐ t'	the sequer	ence listing part of the description:	- 1	
		pages _	, as originally fi	iled.	
		pages _	, as originally if		
		pages _	, filed with the letter of, mod with the defined		
	the in	the lang	to the language, all the elements marked above were available or furnished to this Authority in the language in whal application was filed, unless otherwise indicated under this item. Its were available or furnished to this Authority in the following language	ı is:	
	With prelim	containe filed tog furnishe furnishe The sta internati The stat been fur	to any nucleotide and/or amino acid sequence disclosed in the international application, the internation xamination was carried out on the basis of the sequence listing: need in the international application in written form. need subsequently to this Authority in written form. need subsequently to this Authority in computer readable form. need subsequently to this Authority in computer readable form. need subsequently to this Authority in computer readable form. need subsequently to this Authority furnished written sequence listing does not go beyond the disclosure in tional application as filed has been furnished. natement that the information recorded in computer readable form is identical to the written sequence listing harmished.	the	
4.		tt tt	the description, pages the claims, Nos2 the drawings, sheets/fig		
5.	_	beyond th	port has been established as if (some of) the amendments had not been made, since they have been considered to the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**		
6	and 70	is report (0.17).	sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred as "originally filed" and are not annexed to this report since they do not contain amendments (Rule 70.	! to .16	
**,	Any re	?placemer	ent sheet containing such amendments must be referred to under item 1 and annexed to this report.	ļ	



Intermal application No.

PCT/JP2003/004973

III. Non-	establishment of opinion with regard to novelty, inventive step and industrial applicability						
1. The q indust	1. The questions whether the claimed invention appears to be novel, to involve an inventive step (to be non obvious), or to be industrially applicable have not been examined in respect of:						
	the entire international application.						
\boxtimes	claims Nos4, 6-12						
becaus	se:						
	the said international application, or the said claims Nosrelate to the following subject matter which does not require an international preliminary examination (specify):						
	the description, claims or drawings (indicate particular elements below) or said claims Nosare so unclear that no meaningful opinion could be formed (specify):						
	the claims, or said claims Nos are so inadequately supported by the description that no meaningful opinion could be formed.						
\boxtimes	no international search report has been established for said claims Nos. 4, 6-12						
2. A mea	ningful international preliminary examination cannot be carried out due to the failure of the nucleotide and/or amino acid nee listing to comply with the standard provided for in Annex C of the Administrative Instructions:						
	the written form has not been furnished or does not comply with the standard.						
	the computer readable form has not been furnished or does not comply with the standard.						
i							

INTERNATIONAL PREMAINARY EXAMINATION REPORT

	· · · · · · · · · · · · · · · · · · ·
	application No.
PCT/JP	03/04973

V.	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability citations and explanations supporting such statement
----	--

_				
1.	Statement			
	Novelty (N)	Claims	1, 3, 5	YES
		Claims		NO
	Inventive step (IS)	Claims		YES
		Claims	1, 3, 5	NO
:	Industrial applicability (IA)	Claims	1, 3, 5	YES
		Claims		NO

2. Citations and explanations

Claims 1 to 3 and 5

Document 1: JP 63-170141 U (Oki Electric Industry Co., Ltd.), 7 November 1988, entire text; all drawings (Family: none)

Document 2: JP 2-196476 A (Ricoh Co., Ltd.), 3 August 1990, entire text; all drawings (Family: none)

Document 3: JP 7-178961 A (Kyocera Corporation), 18 July 1995, entire text; all drawings (Family: none)

Document 4: JP 6-310759 A (Kyocera Corporation), 4

November 1994, entire text; all drawings

(Family: none)

Document 1 sets forth an invention that contains a light element which converts light signals into electric signals and vice versa, an I/O IC which controls the driving of the aforementioned light element, and a transparent base material having electric wiring and light-transmissive properties,

wherein the aforementioned light element and the aforementioned I/O IC are flip-chip mounted on the aforementioned transparent base material, and the input

and output of light between the aforementioned light element and the exterior is carried out by the light-transmissive properties of the aforementioned transparent base material.

In addition, the invention set forth in document 1 has wiring, therefore said wiring is understood to function as an electromagnetic shield.

In addition, the transparent base material set forth in document 1 is light-transmissive, and is therefore understood to be formed from a material with a high transmissivity with respect to the wavelength of the aforementioned light element.

Document 2 is also understood to disclose a similar feature to that described above.

In addition, the provision of wiring for shielding purposes is described in document 3, for example, and suggested in document 4, and is therefore understood to be a technique which would be known to a person skilled in the art.